

## Citas bibliográficas

### III. Hemostasia neonatal

1. Lemus-Varela ML, Golombek S; Sola A. Manual práctico para la toma de decisiones en hematología neonatal. - 1ª ed. - Buenos Aires: Edimed-Ediciones Médicas, 2011. ISBN 978-987-25303-9-6 1. Neonatología.
2. Davenport P and Sola-Visner M. Hemostatic Challenges in Neonates. 2021. *Front. Pediatr.* 9: 627715. doi: 10.3389/fped.2021.627715
3. Sola A. Cuidados Neonatales: descubriendo la vida de un recién nacido enfermo. – 1ª ed. Buenos Aires. Edimed- Ediciones Médicas, 2011
4. Cantor AB. Developmental hemostasis: relevance to newborns and infants. In: Orkin SH, Nathan DG, Ginsburg D, Look AT, Fisher DE, Lux SE IV, editors. *Nathan and Oski's hematology of infancy and childhood.* 7th ed. Philadelphia: W.B. Saunders; 2009. p. 147-191.
5. Andrew M, Paes B, Milner R et al. Development of the human coagulation system in the healthy premature infant. *Blood* 1988; 72(5):1651-72.
6. Mitsiakos G, Papaioannou G, Papadakis E et al. Haemostatic profile of full-term, healthy, small for gestational age neonates. *Thromb. Res.* 2009;124(3):288-91. Epub. 2008 Oct. 17.
7. Mitsiakos G, Giougi E, Papaioannou G, Karagianni P, Papadakis E, Nikolaidis N. Influence of smoking during pregnancy on haemostasis in healthy full term neonates. *Thromb. Res.* 2009;123(3):476-81. Epub 2008.
8. Lippi G, Salvagno GL, Rugolotto S, Chiaffoni GP, Padovani EM, Franchini M, et al. Routine coagulation tests in newborn and young infants. *J Thromb Thrombolysis.* 2007;24(2):153-5.
9. Ezzie ME, Aberegg SK, O'Brien JM. Laboratory testing in the intensive care unit. *Crit Care Clin.* 2007;23(3):435-65.
10. Strauss T, Levy-Shraga Y, Ravid B, Schushan-Eisen I, Maayan-Metzger A, Kuint J, Kenet G. Clot formation of neonates tested by thromboelastography correlates with gestational age. *Thromb Haemost.* 2010;103(2):344-50.
11. Patel RM, Hendrickson JE, Nellis ME, et al. Variación en la práctica transfusional neonatal. *J Pediatr.* 2021; 235:92-99. e4.
12. Tyagi M, Guaragni B, Dendi A, Tekleab AM, Motta M, Maheshwari A. Use of cryoprecipitate in newborn infants. *Newborn (Clarksville).* 2023;2(1):11-18
13. Tyagi M, Maheshwari A, Guaragni B, Motta M. Use of fresh-frozen plasma in newborn infants. *Newborn (Clarksville).* 2022;1(3):271-7.
14. Pal S, Curley A, Stanworth SJ. Interpretation of clotting tests in the neonate. *Arch Dis Child Fetal Neonatal Ed.* 2015;100(3): F270-274.
15. Keir AK, Stanworth SJ. Neonatal Plasma Transfusion: An Evidence-Based Review. *Transfus Med Rev.* 2016;30(4):174-82.
16. Nielsen ST, Strandkjær N, Juul Rasmussen I, Hansen MK, Lytsen RM, Kamstrup PR, Rode L, Goetze JP, Iversen K, Bundgaard H, Frikke-Schmidt R. Coagulation parameters in the newborn and infant - the Copenhagen Baby Heart and COMPARE studies. *Clin Chem Lab Med.* 2021;60(2):261-270. doi: 10.1515/cclm-2021-0967. PMID: 34752018.

## XV CONSENSO SIBEN HEMATOLOGÍA NEONATAL: ESENCIALES PARA LA PRÁCTICA CLÍNICA

17. De Rose DU, Maddaloni C, Ronci S, Bersani I, Martini L, Caoci S, Savarese I, Di Pede A, Campi F, Di Felice G, Berti P, Porzio O, Luciani M, Dotta A. Coagulation profiles and percentiles in neonates with hypoxic-ischemic encephalopathy undergoing therapeutic hypothermia: A step toward more accurate transfusion thresholds. *Pediatr Blood Cancer*. 2024;71(10):e31193. doi: 10.1002/pbc.31193. Epub 2024 Jul 18. PMID: 39022989.
18. Saxonhouse MA. Neonatal Bleeding and Thrombotic Disorders. En: *Avery's diseases of the newborn*. 10.<sup>a</sup> edición. Filadelfia: Elsevier; 2018. p.1121-38.
19. Rodrigo Valero RA, NPunto. Coagulopatías congénitas y adquiridas. *Coagulopatías Congénit Acquir*. 2020;3(24):4-22.
20. Saxonhouse MA, Manco-Johnson MJ. The evaluation and management of neonatal coagulation disorders. *Semin Perinatol*. 2009;33(1):52-65.
21. Weinstein MJ, Blanchard R, Moake JL, Vosburgh E, Moise K. Fetal and neonatal von Willebrand factor (vWF) is unusually large and similar to the vWF in patients with thrombotic thrombocytopenic purpura. *Br J Haematol*. 1989;72(1):68-72. doi: 10.1111/j.1365-2141.1989.tb07654.x. PMID: 2786734.
22. Abdelrazik N, Rashad H, Selim T, Tharwat L. Coagulation disorders and inhibitors of coagulation in children from Mansoura, Egypt. *Hematology*. 2007 ;12(4):309-14. doi: 10.1080/10245330701255205. PMID: 17654057.
23. El-Nawawy A, Abbassy AA, El-Bordiny M, Essawi S. Evaluation of early detection and management of disseminated intravascular coagulation among Alexandria University pediatric intensive care patients. *J Trop Pediatr*. 2004 ;50(6):339-47. doi: 10.1093/tropej/50.6.339. PMID: 15537719.
24. de Aquino Jaso ME, Portilla Aguilar J, Guiscafré Gallardo H, Olvera Hidalgo C. Coagulación intravascular diseminada en menores de un año [Disseminated intravascular coagulation in children under 1 year of age]. *Bol Med Hosp Infant Mex*. 1979;36(1):35-43.
25. Pugh M. DIC screening in the newborn. *Neonatal Netw*. 1997;16(7):57-60. PMID: 9369697.
26. Levi M, Toh CH, Thachil J, Watson HG. Guidelines for the diagnosis and management of disseminated intravascular coagulation. British Committee for Standards in Haematology. *Br J Haematol*. 2009;145(1):24-33. doi: 10.1111/j.1365-2141.2009.07600.x. Epub 2009 Feb 12. PMID: 19222477.
27. Canle O, et al. *Medicina Transfusional Neonatal*. Mariani G. Programa de Actualización en Neonatología (PRONEO) Ciclo 19, módulo 3. Unidad 3. Buenos Aires. Editorial Médica Panamericana, 2018.
28. Ferrando, G. C., & Ligorit, E. A. 10. Criterios transfusionales del plasma fresco congelado. Pag 385-387.
29. Motta M, Del Vecchio A, Radicioni M. Clinical use of fresh-frozen plasma and cryoprecipitate in neonatal intensive care unit. *J Matern-Fetal Neonatal Med Off J Eur Assoc Perinat Med Fed Asia Ocean Perinat Soc Int Soc Perinat Obstet*. 2011;24 Suppl 1:129-31
30. Goldenberg NA, Manco-Johnson MJ. Pediatric hemostasis and use of plasma components. *Best Pract Res Clin Haematol*. 2006;19(1):143-55.
31. Muntean W. Fresh frozen plasma in the pediatric age group and in congenital coagulation factor deficiency. *Thromb Res*. 2002;107 Suppl 1:S29-32.

**XV CONSENSO SIBEN HEMATOLOGÍA NEONATAL:  
ESENCIALES PARA LA PRÁCTICA CLÍNICA**

32. DeSimone RA, Nellis ME, Goel R, Haas T, Vasovic L, Cushing MM. Cryoprecipitate indications and patterns of use in the pediatric intensive care unit: inappropriate transfusions and lack of standardization. *Transfusion (Paris)*. 2016;56(8):1960-4.
33. Downey LA, Moiseiwitsch N, Nellenbach K, Xiang Y, Brown AC, Guzzetta NA. Effect of in vivo administration of fibrinogen concentrate versus cryoprecipitate on ex vivo clot degradation in neonates undergoing cardiac surgery. *Anesth Analg*. 2025;141(2):240-51. doi:10.1213/ANE.0000000000007123.
34. Punzalan RC, Gottschall JL. Use and Future Investigations of Recombinant and Plasma-Derived Coagulation and Anticoagulant Products in the Neonate. *Transfus Med Rev*. 2016;30(4):189-96.
35. Tkach EK, Mackley A, Brooks A, Kessler J, Paul DA. Cryoprecipitate transfusions in the neonatal intensive care unit: a performance improvement study to decrease donor exposure. *Transfusion (Paris)*. 2018;58(5):1206-9.
36. Versiti Blood Center of Wisconsin. Pediatric blood utilization guidelines: high frequency cryoprecipitated AHF. Milwaukee (WI): Versiti; 2023 [cited 2026 Mar 13]. Available from: Versiti website.
37. Starship Child Health. Blood products - fresh frozen plasma FFP (Newborn Services). Auckland: Starship Child Health; 2025 [cited 2026 Mar 13]. Available from: Starship website
38. Sola-Visner M, et al. Replanteamiento de las estrategias de transfusión de plaquetas y plasma para neonatos. *Semin Thromb Hemost*. 2025;51(4):212-220.
39. Ortiz P, Mingo A, Lozano M, Vesga MÁ, Grifols JR, Castrillo A, et al. Guía sobre la transfusión de componentes sanguíneos. *Med Clínica*. 2005;125(10):389-96
40. Neufeld EJ, Négrier C, Arkhammar P, Benchikh el Fegoun S, Simonsen MD, Rosholm A, Seremetis S. Safety update on the use of recombinant activated factor VII in approved indications. *Blood Rev*. 2015;29 Suppl 1:S34-41. doi: 10.1016/S0268-960X(15)30006-0. PMID: 26073367.
41. Hedner U. General haemostatic agents--fact or fiction? *Pathophysiol Haemost Thromb*. 2002;32 Suppl 1:33-6. doi: 10.1159/000057299. PMID: 12214145.
42. Hedner U. Mechanism of action of factor VIIa in the treatment of coagulopathies. *Semin Thromb Hemost*. 2006;32 Suppl 1:77-85. doi: 10.1055/s-2006-939557. PMID: 16673269.
43. DailyMed - NOVOSEVEN RT (factor de coagulación viia - kit recombinante) [Internet]. [citado 11 de julio de 2025]. Disponible en: <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=ea65c32f-8518-4383-b621-17056c0eebco>
44. Giglia TM, Massicotte MP, Tweddell JS, Barst RJ, Bauman M, Erickson CC, et al. Prevention and treatment of thrombosis in pediatric and congenital heart disease: a scientific statement from the American Heart Association. *Circulation*. 2013;128(24):2622-703. doi:10.1161/01.cir.0000436140.77832.7a.
45. Torfs A, Chardonnal L, Meunier S, Désage S, Henaine R, Lilot M. Perioperative Hemostatic Management of a Newborn With Hereditary Hemophilia A Undergoing Emergent Surgery for Dextro-Transposition of the Great Arteries. *J Cardiothorac Vasc Anesth*. 2022;36(10):3855-8.
46. Bidlingmaier C, Bergmann F, Kurnik K. Haemophilia A in two premature infants. *Eur J Pediatr*. 2005;164(2):70-2.

**XV CONSENSO SIBEN HEMATOLOGÍA NEONATAL:  
ESENCIALES PARA LA PRÁCTICA CLÍNICA**

47. Malec L, Peyvandi F, Chan AKC, Königs C, Zulfikar B, Yuan H, et al. Efanesoctocog Alfa Prophylaxis for Children with Severe Hemophilia A. *N Engl J Med.* 2024;391(3):235-46.
48. Escribá A, Gil R, del Río R. Trastornos hemorrágicos en el recién nacido. *An Pediatría Contin.* 2010;8(2):64-72.
49. Araki S, Shirahata A. Vitamin K Deficiency Bleeding in Infancy. *Nutrients.* 2020;12(3):780. doi:10.3390/nu12030780.
50. American Academy of Pediatrics Committee on Fetus and Newborn. Controversies concerning vitamin K and the newborn. *Pediatrics.* 2003;112(1 Pt 1):191-2.
51. Clarke P, Shearer M. Vitamin K deficiency bleeding: the readiness is all. *Arch. Dis. Child.* 2007; 92: 741-743. doi:10.1136/adc.2007.116962.
52. Pichler E, Pichler L. The neonatal coagulation system and the vitamin K deficiency bleeding - a mini review. *Wien Med Wochenschr.* 2008;158(13-14):385-95. doi:10.1007/s10354-008-0538-7.
53. Mihatsch WA, Braegger C, Bronsky J, Campoy C, Domellöf M, Fewtrell M, et al. Prevention of vitamin K deficiency bleeding in newborn infants: a position paper by the ESPGHAN Committee on Nutrition. *J Pediatr Gastroenterol Nutr.* 2016;63(1):123-9. doi:10.1097/MPG.0000000000001232.
54. American Academy of Neurology. Practice Parameter update: Management issues for women with epilepsy—Focus on pregnancy (an evidence-based review): Vitamin K, folic acid, blood levels, and breastfeeding. Report of the Quality Standards Subcommittee and Therapeutics and Technology Assessment Subcommittee of the American Academy of Neurology and American Epilepsy Society. *Neurology* 2009; 73:142-149.
55. Miyasaka M, Nosaka S, Sakai H, Tsutsumi Y, Kitamura M, Miyazaki O, et al. Vitamin K deficiency bleeding with intracranial hemorrhage: focus on secondary form. *Emerg Radiol.* 2007; 14:323-9. doi:10.1007/s10140-007-0632-y
56. Shearer MJ. Vitamin K deficiency bleeding (VKDB) in early infancy. *Blood Rev.* 2009;23(2):49-59. doi:10.1016/j.blre.2008.06.001.
57. Sutor AH. New aspects of vitamin K prophylaxis. *Semin Thromb Hemost.* 2003;29(4):337-47. doi:10.1055/s-2003-42680.
58. Williams MD, Chalmers EA, Gibson BE; Haemostasis and Thrombosis Task Force, British Committee for Standards in Haematology. The investigation and management of neonatal haemostasis and thrombosis. *Br J Haematol.* 2002;119(2):295-309. doi:10.1046/j.1365-2141.2002.03674.x.
59. Hubbard D, Tobias JD. Intracerebral hemorrhage due to hemorrhagic disease of the newborn and failure to administer vitamin K at birth. *South Med J.* 2006;99(11):1216-20. doi:10.1097/01.smj.0000242790.73116.50
60. Flood VH, Galderisi FC, Lowas SR, Kendrick A, Boshkov LK. Hemorrhagic disease of the newborn despite vitamin K prophylaxis at birth. *Pediatr Blood Cancer.* 2008;50(5):1075-7. doi:10.1002/pbc.21383.
61. McNinch AW, Tripp JH. Haemorrhagic disease of the newborn in the British Isles: two years prospective study. *BMJ.* 1991;303(6810):1105-9. doi:10.1136/bmj.303.6810.1105.
62. Hand I, Noble L, Abrams SA. Vitamin K and the Newborn Infant. *Pediatrics.* 2022;149(3):e2021056036. doi: 10.1542/peds.2021-056036. PMID: 35190810.

**XV CONSENSO SIBEN HEMATOLOGÍA NEONATAL:  
ESENCIALES PARA LA PRÁCTICA CLÍNICA**

63. Ng E, Loewy AD. Position Statement: Guidelines for vitamin K prophylaxis in newborns: A joint statement of the Canadian Paediatric Society and the College of Family Physicians of Canada. *Can Fam Physician*. 2018;64(10):736-739. PMID: 30315016; PMCID: PMC6184976
64. Morales Betancourt C, Pallás Alonso CR, Colomer Revuelta J, Cortés Rico O, Esparza Olcina MJ, Galbe Sánchez-Ventura J, et al. Uso profiláctico de la vitamina K para prevenir la enfermedad hemorrágica del recién nacido. *Rev Pediatr Aten Primaria*. 2021; 23:195-205.